

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Anti-Human IgM	ti-Human IgM Monoclonal Antibody(AF647		
	Conjugated)			
Catalog:	DL21922F			
currence.	2221/221			
Synonyms:	Immunoglobulin heavy constant			
Synonyms.				
mu,IGHM,Immunoglobulin M				
Dealermound Is Mis the first immun calabulia mode by Dealls is				
Background:	IgM is the first immunoglobulin made by B cells in			
	the immune response. Surface IgM is expressed on			
	immature and mature B cells, while IgM heavy (μ)			
	chain is expressed intracellularly in pre-B cells.			
Form: Liquid		Isotype:]	Mouse IgG1, κ	
Size:		Host: Mo	ouse	
20Tests/100Tests/100Tests×2				
Reactivity: Human		Applicati	on: FCM	



Concentration: 5 µL

Conjugation: AF647

SwissProt: P01871

Buffer:Phosphate buffered solution, pH 7.2, containing
0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.