

Manufacturer/S	upplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Pro	vince, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dlde</u>	velop.com			
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Anti-Human IL-17A Monoclonal Antibody(APC			
	Conjugated)			
Catalog:	DL21925F			
Synonyms:	CTLA8, IL17,CTLA-8,IL 17A			
Background:	IL-17A is the founding member of the IL-17 family, a group of six structurally related pro- inflammatory cytokines. IL-17A, secreted by activated CD4+ Th17 cell subpopulation, elicits multiple biological activities on a variety of cells including: the induction of IL-6, IL-8, G-CSF, and PGE2 production in epithelial, endothelial or fibroblasts; the enhancement of surface expression of ICAM-1 in fibroblasts; activation of NF-κB and costimulation of T cell proliferation. Recent studies demonstrated that, in mice, activated IL-17-secreting CD4+ helper T			



cells (Th17 cells) mediate an autoimmune arthritis		
that clinically and immunologically resembles		
rheumatoid arthritis (RA). Human IL-17A shows		
63%,63%, and $72%$ amino acid sequence identity to		
rat IL-17A, mouse IL-17A, and a protein encoded by		
the ORF13 gene of herpesvirus Saimiri (HVS),		
respectively.		

Form: Liquid		Isotype: Mouse IgG1, ĸ
Size:		Host: Mouse
20Tests/100Tests	s/100Tests×2	
Reactivity: Human		Application: ICFCM
Concentration: 5 µL		Conjugation: APC
SwissProt:	Q16552	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per



 $100 \ \mu L$ of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

