

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD14 Monoclonal Antibody(AF647		
	Conjugated)		
Catalog:	DL21938F		
Synonyms:	CD 14,Myeloid cell-specific leucine-rich glycoprotein,Monocyte differentiation antigen CD14		
Background:	CD14 is a 53-55 kD glycosylphosphatidylinositol		
	(GPI)-linked membrane glycoprotein also known as		
	LPS receptor. CD14 is expressed on macrophages,		
	dendritic cells, Kupffer cells, hepatocytes, and		
	granulocytes. As a high-affinity receptor for		
	LPS-LBP (LPS-binding protein) complex, CD14, in		
	association with Toll-like Receptor 4 (TLR4) or 2		
	(TLR2), is involved in the clearance of		
	gram-negative pathogens.		



Form: Liquid		Isotype: Rat IgG2a, κ
Size: 50Tests/100Tests/100Tests×2		Host: Rat
Reactivity: Mouse		Application: FCM
Concentration: 5 µL		Conjugation: AF647
SwissProt:	P10810	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do



not freeze.

This product is guaranteed up to one year from purchase.

