

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD41 Monoclonal Antibody(FITC		
	Conjugated)		
Catalog:	DL22011F		
Synonyms:	Itga2b,GPalpha Iib,CD41,GPIIb		
Background:	CD41, also known as integrin α 2b and GPIIb, is a		
	transmembrane glycoprotein that is expressed by		
	platelets and megakaryocytes. It was reported that		
	CD41 is also expressed on hematopoietic		
	progenitors. CD41 associates with CD61 (integrin		
	β (3) to form complexes that interact with fibrinogen,		
	fibronectin, von Willebrand factor, and thrombin.		
	CD41 is required for platelet adhesion and		
	aggregation. Defect of CD41 leads to disorders of		
	coagulation.		
	C C		



Form: Liquid		Isotype: Rat IgG1, κ
Size: 25µg/100µg		Host: Rat
Reactivity: Mouse		Application: FCM
Concentration: 0.5 mg/mL		Conjugation: FITC
SwissProt:	Q9QUM0	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 μ g/10⁶cells in 100 μ L volume].

Storage:

Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do



not freeze.

This product is guaranteed up to one year from purchase.

