

| Manufacturer/Supplier: | | | |
|--|--|--|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD | | | |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District | | | |
| Wuxi Jiangsu Pro | vince, China | | |
| TELE: 86-510-82732223 FAX: 86-510-82720101-80 | | | |
| Web : <u>www.dldevelop.com</u> | | | |
| Email: info@dldevelop.com.cn service@dldevelop.com.cn | | | |
| | | | |
| Product name: | Anti-Human IL-21 Monoclonal Antibody(APC | | |
| | Conjugated) | | |
| Catalog: | DL22177F | | |
| | | | |
| Synonyms: | Interleukin-21,IL-21,Za11 | | |
| | | | |
| Background: | Interleukin 21 (IL-21) is a potent immunomodulatory | | |
| | cytokine mainly produced by NKT and CD4+ | | |
| | T-cells, particularly the inflammatory Th17 subset, | | |
| | and has pleiotropic effects on both innate and | | |
| adaptive immune responses. These actions include | | | |
| | positive effects such as enhancing proliferation of | | |
| | NK cells and cytotoxic T cells, and inhibitory effects | | |
| | on the antigen-presenting function of dendritic cells. | | |
| | It can also be proapoptotic for B cells and NK cells. | | |
| | Studies have shown that IL-21 is also an autocrine | | |
| | cytokine that potently induces Th17 differentiation, | | |
| | | | |



suppresses Foxp3 expression, and serves as a target for treating inflammatory diseases.

| Form: Liquid | | Isotype: Mouse IgG1, κ | |
|---------------------|-----------------|---|--|
| Size: | | Host: Mouse | |
| 20Tests/100Te | ests/100Tests×2 | | |
| Reactivity: Human | | Application: ICFCM | |
| Concentration: 5 µL | | Conjugation: APC | |
| SwissProt: | Q9HBE4 | | |
| Buffer: | - | Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant. | |

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

DEVELOP

Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

