

Manufacturer/Su	upplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	AF/LE Purified Anti-Human CD20 Monoclonal		
	Antibody		
Catalog:	DL22239F		
Synonyms:	Bp35,Leukocyte surface antigen		
	Leu-16,MS4A1,B-lymphocyte surface antigen B1		
Background:	CD20 is a 33-37 kD, four transmembrane spanning		
	protein, also known as B1 and Bp35. CD20 is		
expressed on pre-B-cells, resting and activated B			
cells (not plasma cells), some follicular dendritic			
	cells, and at low levels on a T cell subset. CD20 is		
	heavily phosphorylated on activated B cells and		
	malignant B cells. Homo-oligomeric complexes of		
	CD20 are thought to form Ca2+ conductive ion		
	channels in the plasma membrane of B cells. The		
	CD20 molecule is involved in B-cell activation and is		



associated with various Src family kinases (Lyn, Lck, Fyn). It exists in a complex with MHC class I and II, CD53, CD81, and CD82.

Form: Liquid		<b>Isotype:</b> Mouse IgG2b, κ
Size: 50µg/500µg/1mg		Host: Mouse
Reactivity: Human		<b>Application:</b> Depletion, FCM, IHC, IP
Concentration: 0.5 mg/mL		<b>Conjugation:</b> None (Purified antibody, Azide Free/Low endotoxin)
SwissProt:	P11836	
Buffer:	0.2 μm filtered in PBS, pH 7.2. Azide Free (AF)/Low Endotoxin (LE): Contains no stabilizers or	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 2.0 \ \mu g \ per \ 10^6 cells$  in 100  $\mu L$  volume or 100  $\mu L$  of whole blood. It is recommended that the reagent be titrated for optimal



performance for each application.

## Storage:

Keep as concentrated solution. Store at 2~8°C. Do not freeze. This product is guaranteed up to one year from purchase.

