

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Pro	vince, China		
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldev</u>	velop.com		
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Anti-Human CD44 Monoclonal Antibody(PE		
	Conjugated)		
Catalog:	DL22261F		
_			
Synonyms:	LHR,PGP-I,CDw44,Epican,HUTCH-I		
Background:	CD44 is a 80-95 kD glycoprotein also known as		
	Hermes, Pgp1, H-CAM, or HUTCH. It is expressed on all leukocytes, endothelial cells, hepatocytes, and		
	mesenchymal cells. As B and T cells become		
activated or progress to the memory stage, CD44			
expression increases from a low or mid level of			
	intensity to high expression levels. Thus, CD44 has		
	been reported to be a valuable marker for memory		
	cell subsets. CD44 is an adhesion molecule involved		
	in leukocyte attachment to and rolling on endothelia		
	cells, homing to peripheral lymphoid organs and to		
	,		



the sites of inflammation, and leukocyte aggregation.

Form: Liquid		Isotype: Rat IgG2a, κ		
Size:		Host: Rat		
20Tests/100Te	ests/100Tests×2			
Reactivity: Human		Application: FCM		
Concentration: 5 µL		Conjugation: PE		
SwissProt:	P16070			
Buffer:	-	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

DEVELOP.

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

