

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-Septin 7 Antibody

Catalog: DL90191A

Synonyms: CDC10; Septin-7; CDC10 protein homolog

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the C-term region of human Septin

7. The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Application: WB, IHC, IF/IC, IP

Human, Mouse, Rat, Bovine

Clonality: Polyclonal Dilution: WB (1/500 - 1/1000),



IHC (1/100 - 1/200), IF/IC (1/100 -1/500), IP (1/10 - 1/100)

Entrez Gene: 989/235072/64551

Q16181/O55131/Q9WVC0 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of Septin 7 expression in MCF7 (A), HepG2 (B), NIH3T3 (C) whole cell lysates.






IHC description:

Immunohistochemical analysis of Septin 7 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of Septin 7 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antib





IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.