

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-CDC27 Antibody

Catalog: DL90195A

**Synonyms:** ANAPC3; D0S1430E; D17S978E; Cell division

cycle protein 27 homolog; Anaphase-promoting complex subunit 3; APC3; CDC27 homolog;

CDC27Hs; H-NUC

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the center region of human CDC27.

The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Bovine Application: WB, IHC, IP



**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/100 - 1/200), IP (1/10 -

1/100)

**Entrez Gene:** 996

P30260 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

**WB** description:

Western blot analysis of CDC27 expression in A549 (A), K562 (B), Jurkat (C), HEK293T (D), HeLa (E) whole cell lysates.





## **IHC** description:

Immunohistochemical analysis of CDC27 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **IP description:**

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.