

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-Cyto	ochrome P45	0 2A13 Antibody	
Catalog:	DL90311A			
Synonyms:	Cytochrome P45	50 2A13; CY	PIIA13	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within		e	
	Cytochrome P45	50 2A13. Th	e exact sequence is	
	proprietary.			
		_		
Form: Liquid		Concentra	tion: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabb	nit	
Size. 100 ul/30 ul		HUSt. Raut	,it	
Reactivity: Human, Dog, Rabbit		Application: WB, IHC, IF/IC, IP		

Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000),




IHC (1/100 - 1/200), IF/IC (1/100 - 1/500), IP (1/10 - 1/100)

Entrez Gene:	1553
SwissProt:	Q16696
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Cytochrome P450 2A13 expression in HepG2 (A) whole cell lysates.

DEVELOP




IHC description:

Immunohistochemical analysis of Cytochrome P450 2A13 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of Cytochrome P450 2A13 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the p

DEVELOP.



IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

