

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-EPB41L2 Antibody			
Catalog:	DL90390A			
cumog	DEFOUND			
Synonyms:	Dand 4.1 like motoin 2. Conorolly evenessed motoin			
Synonyms:	Band 4.1-like protein 2; Generally expressed protein			
	4.1; 4.1G			
-				
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within the center region of human			
	EPB41L2. The exact sequence is proprietary.			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Application: WB, IHC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000),		
Cionanty, 1 Olycic	/11.01	Dilutioli.	чь (1/300 - 1/1000),	




IHC (1/100 - 1/200)

Entrez Gene:	2037/13822
SwissProt:	O43491/O70318
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of EPB41L2 expression in HeLa (A), HepG2 (B) whole cell lysates.



IHC description:



Immunohistochemical analysis of EPB41L2 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

