

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-FANCA (pS1149) Antibody

Catalog: DL90412A

Synonyms: FAA; FACA; FANCH; Fanconi anemia group A

protein; Protein FACA

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the C-term region of human FANCA. The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat **Application:** WB, IF/IC, IP

Clonality: Polyclonal Dilution: WB (1/500 - 1/1000),



IF/IC (1/100 - 1/500), IP (1/10 -1/100)

Entrez Gene: 2175/14087

O15360/Q9JL70 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:


Western blot analysis of FANCA (pS1149) expression in HepG2 EGF-treated (A), SP2/0 EGF-treated (B), H9C2 EGF-treated (C) whole cell lysates.





IF/ICC description:

Immunofluorescent analysis of FANCA (pS1149) staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary



IP description:



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.