


Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>		
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>		
Product name:	Rabbit anti-CD183 Antibody	
Catalog:	DL90484A	
Synonyms:	GPR9; C-X-C chemokine receptor type 3; CXC-R3;	
	CXCR-3; CKR-L2; G protein-coupled receptor 9;	
	Interferon-inducible protein 10 receptor; IP-10	
	receptor; CD183	
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
	sequence within the center region of human CD183.	
	The exact sequence is proprietary.	
Form: Liquid	Concentration: 1mg/mL	
Size: 100 ul/50 ul	Host: Rabbit	
Size: 100 ul/30 ul	nost: Kaboli	
Reactivity: Huma	n Application: WB, IHC	
icactivity + ifuillu		




Clonality: Polyclo	Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)
Entrez Gene:	2833
SwissProt:	P49682
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of CD183 expression in K562 (A) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of CD183 staining in human muscle formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.