

Manuel a dama (Sama Bana				
Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-hnRNP K (pS284) Antibody			
Catalog:	DL90538A			
8				
Synonyms:	HNRPK; Heterogeneous nuclear ribonucleoprotein			
~ j == 0 == j === 0 =		•	on up-regulated nuclear	
	protein; TUNP	Tansionnau	on up-regulated nuclear	
	protein, row			
Immunogone		d armethatia	nantida anaannaaaina a	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human hnRNP			
	-		•	
	K. The exact se	equence is pr	oprietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity:		Applicati	on: WB, IF/IC	
Human,Mouse,Rat,Bovine,Chicke				




n,Rabbit,Zebrafish

Clonality: Polyclo	Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)		
Entrez Gene:	3190/15387/117282		
SwissProt:	P61978/P61979/P61980		
Purification:	The antibody was purified by immunogen affinity chromatography.		
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		

WB description:


Western blot analysis of hnRNP K (pS284) expression in MCF7 EGF-treated (A), Raw264.7 EGF-treated (B), H9C2 EGF-treated (C) whole cell lysates.

DEVELOP



IF/ICC description:

Immunofluorescent analysis of hnRNP K (pS284) staining in Raw264.7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the pri



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

