

Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>		
Email: info@dldevelop.com.cn service@dldevelop.com.cn		
Product name:	Rabbit anti-HOXD12 Antibody	
Catalog:	DL90548A	
U		
Synonyms:	HOX4H; Homeobox protein Hox-D12; Homeobox	
- J - J	protein Hox-4H	
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
g	sequence within the C-term region of human	
	HOXD12. The exact sequence is proprietary.	
	110/AD12. The exact sequence is proprietary.	
Form: Liquid	Concentration: 1mg/mL	
Form. Elquid	Concentration. Thighle	
<b>Size:</b> 100 ul/50 ul	Host: Rabbit	
Size. 100 ul/30 ul	nost. Rabon	
Reactivity:	Application: WB, IHC, IP	
Human,Mouse,Rat,Bovine,Chicke		
n,Dog,Pig		
11,170g,1 Ig		



**Clonality:** Polyclonal


**Dilution:** WB (1/500 - 1/1000), IHC (1/100 - 1/200), IP (1/10 - 1/100)

Entrez Gene:	3238/15432
SwissProt:	P35452/P23812
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

#### **WB** description:

Western blot analysis of HOXD12 expression in A549 (A), HuvEc (B), NIH3T3 (C) whole cell lysates.

# **DEVELOP**



### **IHC description:**

Immunohistochemical analysis of HOXD12 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **IP description:**

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

