

Manufacturer/Supplier:					
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
TELE: 86-510-82732223 FAX: 86-510-82720101-8014					
Web : <u>www.dldevelop.com</u>					
Email: info@dldevelop.com.cn service@dldevelop.com.cn					
Product name:	Rabbit anti-c-Jun (pT91) Antibody				
Catalog:	DL90631A				
8					
Synonyms:	Transcription factor AP-1; Activator protein 1; AP1;				
~ 9 - 1 0 - 1 9 - 1 - 0 0	Proto-oncogene c-Jun; V-jun avian sarcoma virus				
	17 oncogene homolog; p39				
	17 oncogene nomolog, p39				
Immunogen:	KI II conjugated synthetic partide anonymassing a				
Immunogen.	KLH-conjugated synthetic peptide encompassing a				
	sequence within the center region of human c-Jun.				
The exact sequence is proprietary.					
T T ' ' 1		C (· 1 / T		
Form: Liquid		Concentr	ation: 1mg/mL		
Size: 100 ul/50 ul		Host: Rab	bbit		
Reactivity:		Applicati	on: WB, IHC		
Human,Mouse,Rat,Bovine,Pig,Ra					



bbit,Sheep


Clonality: Polyclo	nal	Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)	
Entrez Gene:	3725/16476/24516		
SwissProt:	P05412/P05627/P17325		
Purification:	The antibody was purified by immunogen affinity chromatography.		
Buffer:	1	Potassium phosphate, 0.87% e, pH 7.3, 30% glycerol, and 0.01%	

WB description:

Western blot analysis of c-Jun (pT91) expression in NIH3T3 Anisomycin-treated (A) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of c-Jun (pT91) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.