

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
D		r 1 4 . 41 1		
Product name:	Rabbit anti-NBL1 Antibody			
Catalog:	DL90785A			
Synonyms:		Neuroblast	oma suppressor of	
Synonyms.	, , ,		nain family member 1;	
	Protein N03; Zi	-	•	
	Protein N05, ZI	ne mger pr	olem DAN	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within	the C-term	region of human NBL1.	
	The exact seque	ence is prop	rietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	hit	
Size. 100 ul/30 ul		HUSL: Kat	UIL	
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IF/IC	



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)


Entrez Gene:	17965/50594
SwissProt:	P41271/Q61477/Q06880
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of NBL1 expression in Jurkat (A), Raw264.7 (B), H9C2 (C) whole cell lysates.




DEVELOP



IF/ICC description:

Immunofluorescent analysis of NBL1 staining in Raw264.7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibo



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

