

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-IKB beta (pT19) Antibody

Catalog: DL90807A

Synonyms: IKBB; TRIP9; NF-kappa-B inhibitor beta;
NF-kappa-BIB; I-kappa-B-beta; IkB-B; IkB-beta;
IkappaBbeta; Thyroid receptor-interacting protein 9;
TR-interacting protein 9; TRIP-9

Immunogen: KLH-conjugated synthetic peptide encompassing a
sequence within the N-term region of human IKB
beta. The exact sequence is proprietary.

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity:

Application: WB, IHC

Human, Mouse, Rat, Bovine

Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000),
IHC (1/100 - 1/200)

Entrez Gene: 4793/18036


SwissProt: Q15653/Q60778/Q9JIA3

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of IKB beta (pT19) expression in Raw264.7 LPS-treated (A), PC12 UV-treated (B), rat brain (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of IKB beta (pT19) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.