

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-Focal Adhesion Kinase (pY925)
Antibody

Catalog: DL90972A

Synonyms: FAK; FAK1; Focal adhesion kinase 1; FADK 1;
Focal adhesion kinase-related nonkinase; FRNK;
Protein phosphatase 1 regulatory subunit 71;
PPP1R71; Protein-tyrosine kinase 2; p125FAK;
pp125FAK

Immunogen: KLH-conjugated synthetic peptide encompassing a
sequence within the C-term region of human Focal
Adhesion Kinase. The exact sequence is proprietary.

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity:

Human, Mouse, Rat, Chicken, Zebra fish

Application: WB, IF/IC**Clonality:** Polyclonal

Dilution: WB (1/500 - 1/1000),
IF/IC (1/100 - 1/500)

Entrez Gene: 5747/14083/25614


SwissProt: Q05397/P34152/O35346

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.


WB description:

Western blot analysis of Focal Adhesion Kinase (pY925) expression in NIH3T3 pervanadate-treated (A) whole cell lysates.



IF/ICC description:

Immunofluorescent analysis of Focal Adhesion Kinase (pY925) staining in NIH3T3 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.