

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-Osteopontin Antibody			
Catalog:	DL91096A			
Synonyms:	BNSP; OPN; Osteopontin; Bone sialoprotein 1;			
	Nephropontin	i; Secreted pho	osphoprotein 1; SPP-1;	
	Urinary stone	e protein; Urop	oontin	
T	VIII	4 - 1 41 - 4		
Immunogen:			peptide encompassing a	
	-		region of human	
	Osteopontin.	The exact sequ	uence is proprietary.	
Form: Liquid		Concentra	ation: 1mg/mL	
1 01111 211111				
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Monkey		Applicatio	Application: WB, IHC	



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)


Entrez Gene:	6696
SwissProt:	P10451
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Osteopontin expression in HEK293T (A), Jurkat (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of Osteopontin staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.