

Manufacturer/Su	pplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	FAX: 86-510-82720101-8014			
Web : www.dldev	elop.com			
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-CSGALNACT1 Antibody			
Catalog:	DL91715A			
Synonyms:	CHGN; GALNACT1; Chondroitin sulfate N-acetylgalactosaminyltransferase 1; CsGalNAcT-1; Chondroitin beta-1,4-N-acetylgalactosaminyltransferase 1; Beta4GalNAcT-1			
Immunogen:	mmunogen:KLH-conjugated synthetic peptide encompassing a sequence within the center region of human			
	CSGALNACT1. The exact sequence is proprietary.			
Form: Liquid	Concentration: 1mg/mL			
<b>Size:</b> 100 ul/50 ul	Host: Rabbit			



Reactivi	ty:	Human
----------	-----	-------

Application: WB, IHC, IP

Clonality: Polyclonal	<b>Dilution:</b> WB (1/500 - 1/1000),
	IHC (1/100 - 1/200), IP (1/10 -
	1/100)

Entrez	Gene:	55790

SwissProt: Q8TDX6


**Purification:** The antibody was purified by immunogen affinity chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

#### **WB description:**

Western blot analysis of CSGALNACT1 expression in MCF7 (A), K562 (B) whole cell lysates.

# **DEVELOP**



### **IHC description:**

Immunohistochemical analysis of CSGALNACT1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **IP description:**

### **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

