

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Rabbit anti-APOA1BP Antibody		
Catalog:	DL91856A		
Synonyms:	AIBP; YJEFN1; NAD(P)H-hydrate epimerase;		
	Apolipoprotein A-I-binding protein; AI-BP;		
	NAD(P)HX epimerase; YjeF N-terminal		
	domain-containing protein 1; YjeF_N1		
Immunogen:	KLH-conjugated synthetic peptide encompassing a		
	sequence within the center region of human		
	APOA1BP. The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
Size: 100 ul/50 ul	Host: Rabbit		
Reactivity:	Application: WB, IF/IC		

DEVELOP.

Human, Mouse, Rat, Bovine, Dog, Pi


g

Clonality: Polyclo		Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)	
Entrez Gene:	128240/246703/295229		
SwissProt:	Q8NCW5/Q8K4Z3/B0BNM1		
Purification:	The antibody was chromatography.	s purified by immunogen affinity	
Buffer:	1	Potassium phosphate, 0.87% pH 7.3, 30% glycerol, and 0.01%	

WB description:


Western blot analysis of APOA1BP expression in HEK293T (A), mouse kidney (B), rat kidney (C) whole cell lysates.

DEVELOP



IF/ICC description:

Immunofluorescent analysis of APOA1BP staining in HEK293T cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary anti



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

