

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Rabbit anti-ADAR1 Antibody		
Catalog:	DL92110A		
Synonyms:	ADAR1; DSRAD; G1P1; IFI4; Double-stranded		
	RNA-specific adenosine deaminase; DRADA; 136		
	kDa double-stranded RNA-binding protein; p136;		
	Interferon-inducible protein 4; IFI-4; K88DSRBP		
Immunogen:	KLH-conjugated synthetic peptide encompassing a		
	sequence within the C-term region of human		
	ADAR1. The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
1			
Size: 100 ul/50 ul	Host: Rabbit		
Reactivity:	Application: WB, IHC		
v	A A Y		

DEVELOP.

Human, Mouse, Rat, Pig


Clonality: Polyclonal	Dilution: WB (1/500 - 1/1000),
	IHC (1/100 - 1/200)

Entrez Gene:	103/56417/81635
SwissProt:	P55265/Q99MU3/P55266
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of ADAR1 expression in Jurkat (A), Ramos (B), HeLa (C) whole cell lysates.

DEVELOP



IHC description:

Immunohistochemical analysis of ADAR1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.