

Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82	732223 FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>		
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>		
Product name:	Rabbit anti-EEF2 Antibody	
Catalog:	DL92204A	
Synonyms:	EF2; Elongation factor 2; EF-2	
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
	sequence within the N-term region of human EEF2.	
	The exact sequence is proprietary.	

Form: LiquidConcentration: lmg/mLSize: 100 ul/50 ulHost: Rabbit

Reactivity:Application: WB, IHC, IF/ICHuman,Mouse,Rat,Bovine,Chicken,Monkey,Zebrafish




Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200), IF/IC (1/100 - 1/500)


Entrez Gene:	1938/13629/29565
SwissProt:	P13639/P58252/P05197
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of EEF2 expression in A431 (A), MCF7 (B), mouse kidney (C), rat kidney (D) whole cell lysates.



DEVELOP



IHC description:


Immunohistochemical analysis of EEF2 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of EEF2 staining in A431 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



DEVELOP.



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

