


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : www.dldevelop.com				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-Hexokinase 3 Antibody			
Catalog:	DL92240A			
8				
Synonyms:	Hexokinase-3; Hexokinase type III; HK III			
<i>. .</i>				
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
8	sequence within the C-term region of human			
	Hexokinase 3. The exact sequence is proprietary.			
Form: Liquid		Concentr	ation: 1mg/mL	
-			-	
Size: 100 ul/50 ul		Host: Rat	bit	
Reactivity: Human		Applicati	on: WB, IHC	
-				
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000),		
		IHC (1/10	0 - 1/200)	

Entrez Gene:	3101
SwissProt:	P52790
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Hexokinase 3 expression in HL60 (A), HeLa (B) whole cell lysates.



IHC description:

Immunohistochemical analysis of Hexokinase 3 staining in human



lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.