

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-HSP90 beta (pS254) Antibody

Catalog: DL92244A

Synonyms: HSP90B; HSPC2; HSPCB; Heat shock protein HSP

90-beta; HSP 90; Heat shock 84 kDa; HSP 84;

HSP84

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the center region of human HSP90 beta (pS254). The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Application: WB, IHC, IF/IC, IP

Human, Mouse, Rat, Monkey



Clonality: Polyclonal **Dilution:** WB (1/500 - 1/1000).

IHC (1/100 - 1/200), IF/IC (1/100 -

1/500), IP (1/10 - 1/100)

Entrez Gene: 3326/15516/301252

P08238/P11499/P34058 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Liquid in 0.42% Potassium phosphate, 0.87% **Buffer:**


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of HSP90 beta (pS254) expression in HeLa heat shocked-treated (A), NIH3T3 heat shocked-treated (B), PC12 heat shocked-treated (C) whole cell lysates.






IHC description:

Immunohistochemical analysis of HSP90 beta (pS254) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of HSP90 beta (pS254) staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the prim





IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.