

Manufacturer/Su	pplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Rabbit anti-ZHX2 Antibody		
Catalog:	DL92392A		
Synonyms:	AFR1; KIAA0854; RAF; Zinc fingers and		
	homeoboxes protein 2; Alpha-fetoprotein regulator		
	1; AFP regulator 1; Regulator of AFP; Zinc finger		
	and homeodomain protein 2		
_			
Immunogen:	KLH-conjugated synthetic peptide encompassing a		
	sequence within the C-term region of human ZHX2.		
	The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
Form. Elquid	Concentration. Tingfile		
Size: 100 ul/50 ul	Host: Rabbit		
<b>Reactivity:</b>	<b>Application:</b> WB, IHC		

# **DEVELOP**.

## Human, Mouse, Rat, Monkey


Clonality: Polyclonal	<b>Dilution:</b> WB (1/500 - 1/1000),
	IHC (1/100 - 1/200)

Entrez Gene:	22882/387609
SwissProt:	Q9Y6X8/Q8C0C0/Q80VX4
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## WB description:

Western blot analysis of ZHX2 expression in HepG2 (A), K562 (B) whole cell lysates.

# **DEVELOP**



### **IHC description:**

Immunohistochemical analysis of ZHX2 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

#### **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.