

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-CDI	ζ5 Ρ ΛΡ3 Λ1	ntibody	
Catalog:	Rabbit anti-CDK5RAP3 Antibody DL92441A			
Catalog.	DL92441A			
Synonyms:	IC53; CDK5 reg	gulatory sub	punit-associated protein	
	3; CDK5 activat	tor-binding	protein C53; Protein	
	HSF-27			
Immunogen:				
	-		region of human	
	CDK5RAP3. Th	ne exact seq	uence is proprietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Monkey		Application: WB, IHC		



Clonality: Polyclonal


Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)

Entrez Gene:	80279
SwissProt:	Q96JB5
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of CDK5RAP3 expression in HeLa (A), A431 (B) whole cell lysates.

DEVELOP



IHC description:

Immunohistochemical analysis of CDK5RAP3 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.