

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Rabbit anti-AMPK alpha 1/2 (pT183/172) Antibody		
Catalog:	DL92488A		
Synonyms:	PRKAA1; AMPK1; 5'-AMP-activated protein		
	kinase catalytic subunit alpha-1; AMPK subunit alpha-1; Acetyl-CoA carboxylase kinase; ACACA kinase; Hydroxymethylglutaryl-CoA reductase kinase; HMGCR kinase; Tau-protein kinase PRKAA1; PRKAA2; AMPK; AMPK2; 5'-AMP-a		
Immunogen:	KLH-conjugated synthetic peptide encompassing a		
	sequence within the center region of human AMPK		
	alpha 1/2 (pT183/172). The exact sequence is		
	proprietary.		
Form: Liquid	Concentration: lmg/mL		




Size: 100 ul/50 ul		Host: Rabbit	
Reactivity: Human,Mouse,Rat,	Chicken,Pig	Application: WB, IHC, IP	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200), IP (1/10 - 1/100)	
Entrez Gene:	105787; 108079/65248; 78975		
SwissProt:	Q13131; P54646/Q5EG47; Q8BRK8/P54645; Q09137		
Purification:	The antibody was purified by immunogen affinity chromatography.		
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.		

WB description:

Western blot analysis of AMPK alpha 1/2 (pT183/172) expression in Jurkat Adriamycin-treated (A), K562 Adriamycin-treated (B) whole cell lysates.

DEVELOP



IHC description:

Immunohistochemical analysis of AMPK alpha 1/2 (pT183/172) staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

