

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Rabbit anti-SP3	/4 Antibody	
Catalog:	DL92492A		
8			
Synonyms:	SP3. Transcripti	ion factor Sp3; SPR-2; SP4;	
Synonyms.	-	ctor Sp4; SPR-1	
	Transcription 1a	etor 5p4, 51 K-1	
Immunogen:	KIH conjugate	d synthetic pentide encompassing a	
Immunogen.	KLH-conjugated synthetic peptide encompassing a		
	-	the C-term region of human SP3/4.	
	The exact seque	nce is proprietary.	
Form: Liquid		Concentration: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit	
<b>Reactivity:</b>		<b>Application:</b> WB, IF/IC	
Human,Mouse,Chicken,Zebrafish			



**Clonality:** Polyclonal


**Dilution:** WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)

Entrez Gene:	20687; 20688
SwissProt:	Q02447; Q02446/O70494; Q62445
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**


Western blot analysis of SP3/4 expression in HeLa (A), K562 (B) whole cell lysates.

## **DEVELOP**.



## **IF/ICC description:**

Immunofluorescent analysis of SP3/4 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



## **Storage:**



Store at -20°C. Avoid repeated freeze / thaw cycles.

