

Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name: Catalog:	Rabbit anti-CD DL92554A	0234 Antibod	ly	
Synonyms:	receptor; Atypi	cal chemoki SpFy; Glycop	antigen/chemokine ne receptor 1; Fy protein D; Plasmodium	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human CD234. The exact sequence is proprietary.			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat		Applicatio	Application: WB, IF/IC	




Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)


Entrez Gene:	2532/13349
SwissProt:	Q16570/Q9QUI6
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of CD234 expression in HeLa (A), K562 (B), Raw264.7 (C), PC12 (D) whole cell lysates.




DEVELOP



IF/ICC description:

Immunofluorescent analysis of CD234 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

