

| Manufacturer/Supplier: | | |
|---|--|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD | | |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District | | |
| Wuxi Jiangsu Province, China | | |
| TELE: 86-510-82732223 FAX: 86-510-82720101-8014 | | |
| Web : <u>www.dldevelop.com</u> | | |
| Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u> | | |
| | | |
| Product name: | Rabbit anti-ETV4 Antibody | |
| Catalog: | DL92931A | |
| | | |
| Synonyms: | E1AF; PEA3; ETS translocation variant 4; | |
| | Adenovirus E1A enhancer-binding protein; E1A-F; | |
| | Polyomavirus enhancer activator 3 homolog; | |
| | Protein PEA3 | |
| | | |
| Immunogen: | KLH-conjugated synthetic peptide encompassing a | |
| g | sequence within the center region of human ETV4. | |
| | The exact sequence is proprietary. | |
| | The exact sequence is proprietary. | |
| Form: Liquid | Concentration: 1mg/mL | |
| Form. Elquid | Concentration. Thighle | |
| Size: 100 ul/50 ul | Host: Rabbit | |
| Size: 100 ul/30 ul | nost: Rabbit | |
| D | Angliantian WD HIC | |
| Reactivity: | Application: WB, IHC | |
| | | |

DEVELOP.


Human, Mouse, Rat, Dog

| Clonality: Polyclo | Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200) |
|--------------------|---|
| Entrez Gene: | 2118/18612 |
| SwissProt: | P43268/P28322 |
| Purification: | The antibody was purified by immunogen affinity chromatography. |
| Buffer: | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. |

WB description:

Western blot analysis of ETV4 expression in HeLa (A), Raw264.7 (B), PC12 (C) whole cell lysates.

DEVELOP



IHC description:

Immunohistochemical analysis of ETV4 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.