

Manufacturer/Su	nnlier			
Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : www.dldevelop.com				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-GP	R68 Antibod	łxz	
Catalog:	Rabbit anti-GPR68 Antibody DL92972A			
Catalog.	DL92972A			
Synonyms:	OGR1; Ovarian cancer G-protein coupled receptor			
Synonyms.		-	ed receptor 68; GPR12A;	
	Sphingosylpho	-	1 , ,	
	Spliligosylpho	sphorylenon	ne receptor	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within the C-term region of human			
	GPR68. The exact sequence is proprietary.			
		aet sequenet	is propriouily.	
Form: Liquid		Concentra	ation: 1mg/mL	
1			8	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity:		Applicatio	on: WB, IF/IC	
Human,Mouse,Rat,Bovine				
, ,				



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)


Entrez Gene:	8111/238377
SwissProt:	Q15743/Q8BFQ3
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of GPR68 expression in HeLa (A), mouse spleen (B) whole cell lysates.




DEVELOP



IF/ICC description:

Immunofluorescent analysis of GPR68 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

