

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-801			
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name: Catalog:	Rabbit anti-PDCD4 (pS457) Antibody DL93147A		
Synonyms:	H731; Programmed cell death protein 4; Neoplastic transformation inhibitor protein; Nuclear antigen H731-like; Protein 197/15a		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human PDCD4 (pS457). The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
<b>Size:</b> 100 ul/50 ul	Host: Rabbit		
<b>Reactivity:</b> Human,Mouse,Rat	Application: WB, IHC Bovine,Chicke		




n


Clonality: Polyclo	onal	<b>Dilution:</b> WB (1/500 - 1/1000), IHC (1/100 - 1/200)
Entrez Gene:	27250/18569/64031	
SwissProt:	Q53EL6/Q61823/Q9JID1	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Buffer:	1	Potassium phosphate, 0.87% e, pH 7.3, 30% glycerol, and 0.01%

## **WB description:**

Western blot analysis of PDCD4 (pS457) expression in HeLa (A), Jurkat (B) whole cell lysates.



## **DEVELOP**



## **IHC description:**

Immunohistochemical analysis of PDCD4 (pS457) staining in human prostate cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.