

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-p63 (pS455) Antibody

Catalog: DL93295A

**Synonyms:** KET; P63; P73H; P73L; TP73L; Tumor protein 63;

p63; Chronic ulcerative stomatitis protein; CUSP;

Keratinocyte transcription factor KET;

Transformation-related protein 63; TP63; Tumor

protein p73-like; p73L; p40; p51

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the center region of human p63

(pS455). The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit



**Reactivity:** Human **Application:** WB, IHC

**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/100 - 1/200)

**Entrez Gene:** 8626

Q9H3D4 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

**WB** description:

Western blot analysis of p63 (pS455) expression in HEK293T (A), MDA-MB-435 (B) whole cell lysates.





## **IHC** description:

Immunohistochemical analysis of p63 (pS455) staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.