

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-80			86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-VDR (pS208) Antibody			
Catalog:	DL93308A			
Synonyms:	NR111; Vitamin D3 receptor; VDR;			
			receptor; Nuclear	
	receptor subfam	ily 1 group	I member 1	
-				
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	-		region of human VDR	
	(pS208). The ex	act sequence	e is proprietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
Form. Elquid		Concentra	ation. mig/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Monkey		Application	on: WB, IF/IC	
-	-			



Clonality: Polyclonal


Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)

Entrez Gene:	7421/22337/24873
SwissProt:	P11473/P48281/P13053
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:


Western blot analysis of VDR (pS208) expression in HeLa (A), HepG2 (B) whole cell lysates.

DEVELOP.



IF/ICC description:

Immunofluorescent analysis of VDR (pS208) staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary an



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

