

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-AKT (pY474) Antibody

Catalog: DL93330A

**Synonyms:** PKB; RAC; RAC-alpha serine/threonine-protein

kinase; Protein kinase B; PKB; Protein kinase B

alpha; PKB alpha; Proto-oncogene c-Akt;

RAC-PK-alpha

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the C-term region of human AKT

(pY474). The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Application: WB, IHC



Human, Mouse, Rat, Chicken, Monk ey, Pig, Sheep, Zebrafish

**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/100 - 1/200)

**Entrez Gene:** 207/11651/24185

P31749/P31750/P47196 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide

## **WB** description:

Western blot analysis of AKT (pY474) expression in HEK293T UV-treated (A) whole cell lysates.





## **IHC** description:

Immunohistochemical analysis of AKT (pY474) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.