

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-801			86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-DAXX Antibody			
Catalog:	DL93386A			
Synonyms:	BING2; DAP6; Death domain-associated protein 6;			
	Daxx; hDaxx; l	ETS1-associ	ated protein 1; EAP1;	
	Fas death doma	ain-associate	d protein	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within	n the C-term	region of human	
	DAXX. The ex	act sequence	e is proprietary.	
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Monkey		Applicati	Application: WB, IHC	



Clonality: Polyclonal


Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)

Entrez Gene:	1616/13163
SwissProt:	Q9UER7/O35613/Q8VIB2
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of DAXX expression in HeLa (A), A549 (B) whole cell lysates.

DEVELOP



IHC description:

Immunohistochemical analysis of DAXX staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.