

Manufacturer/Supplier:					
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
TELE: 86-510-82732223 FAX: 86-510-82720101-8014					
Web : <u>www.dldevelop.com</u>					
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>					
Product name:	Rabbit anti-Vasopressin V3 Receptor Antibody				
Catalog:	DL93577A				
Synonyms:	AVPR3; VPR3; Vasopressin V1b receptor; V1bR;				
	AVPR V1b; AVPR V3; Antidiuretic hormone receptor 1b; Vasopressin V3 receptor				
Immunogen:	KLH-conjugated synthetic peptide encompassing a				
	sequence within the center region of human				
	Vasopressin V3 Receptor. The exact sequence is				
	proprietary.				
- - · · · ·		G			
Form: Liquid		Concentr	ation: 1mg/mL		
Stars 1001/501		II4- D -1	1.14		
Size: 100 ul/50 ul		Host: Rab	DDIL		
Reactivity: Human,Dog		Annliceti	on: WB, IF/IC		
ixcactivity, Huilla	n,Dog	Аррисан	UII. WD , I ¹ / I C		




Clonality: Polyclo	nal	Dilution: WB (1/500 - 1/1000), IF/IC (1/100 - 1/500)
Entrez Gene:	553	
SwissProt:	P47901	
Purification:	The antibody wa chromatography	as purified by immunogen affinity 7.
Buffer:	1	Potassium phosphate, 0.87% e, pH 7.3, 30% glycerol, and 0.01%

WB description:

Western blot analysis of Vasopressin V3 Receptor expression in K562 (A), HepG2 (B) whole cell lysates.




DEVELOP



IF/ICC description:

Immunofluorescent analysis of Vasopressin V3 Receptor staining in K562 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

