

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Rabbit anti-D DL93624A	GK kappa An	tibody	
Diacylglycerol kinase kappa; DAG kinase kappa; 142 kDa diacylglycerol kinase; Diglyceride kinase kappa; DGK-kappa			
KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human DGK kappa. The exact sequence is proprietary.			
	Concentra	ation: 1mg/mL	
	Host: Rab	bit	
Reactivity: Human,Rat		Application: WB, IHC, IF/IC	
	SCI&TECH D Mingpin CityII vince, China 2732223 <u>elop.com</u> velop.com.cn Rabbit anti-Du DL93624A Diacylglycero 142 kDa diacy kappa; DGK-I KLH-conjuga sequence with kappa. The ex	I SCI&TECH DEVELOPME Mingpin CityII,No.8 Xihudo Vince, China 2732223 FAX: elop.com velop.com.cn service@dld Rabbit anti-DGK kappa An DL93624A Diacylglycerol kinase kapp 142 kDa diacylglycerol kinase kapp 142 kDa diacylglycerol kinase kappa KLH-conjugated synthetic p sequence within the C-term kappa. The exact sequence Concentr Host: Rab	



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200), IF/IC (1/100 - 1/500)


Entrez Gene:	139189
SwissProt:	Q5KSL6
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of DGK kappa expression in human lung (A), rat kidney (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of DGK kappa staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

