

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
	-	-	-	
Product name:	Rabbit anti-Friz	zled 9 Antil	oody	
Catalog:	DL93649A			
cg.	22,000,000			
Synonyms:	FZD3; Frizzled-9; Fz-9; hFz9; FzE6; CD349			
Synonyms.	1205, 1122100-	9, 12-9, m	2), 1 2L0, CD3+)	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
minunogen.				
	sequence within the C-term region of human			
	Frizzled 9. The exact sequence is proprietary.			
Form: Liquid		Concentr	ation: 1mg/mL	
<b>Size:</b> 100 ul/50 ul		Host: Rab	bit	
<b>Reactivity:</b>		Applicati	on: WB, IF/IC	
Human, Mouse, Monkey				
, ,	-			
<b>Clonality:</b> Polyclonal		Dilution	WB (1/500 - 1/1000),	
Cionanty, i orycionar Dilut				




## IF/IC (1/100 - 1/500)

Entrez Gene:	8326/14371
SwissProt:	O00144/Q9R216
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**


Western blot analysis of Frizzled 9 expression in Y79 (A) whole cell lysates.



## **IF/ICC description:**



Immunofluorescent analysis of Frizzled 9 staining in Y79 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antib



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

