

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-p53 Antibody			
Catalog:	DL93856A			
Synonyms:	P53; Cellular tumor antigen p53; Antigen			
	NY-CO-13; P	hosphoprotein	n p53; Tumor suppressor	
	p53			
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	-		region of human p53.	
	The exact sequ	uence is propi	rietary.	
		_		
Form: Liquid		Concentr	ation: 1mg/mL	
C* 100 1/50 1		H (D 1	1 */	
Size: 100 ul/50 ul		Host: Rab	obit	
Desetivity Human		Annliesti	Application: WB, IHC	
Reactivity: Human	11	Application		




Clonality: Polyclo	Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)
Entrez Gene:	7157
SwissProt:	P04637
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of p53 expression in HeLa (A), HEK293T (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of p53 staining in human ovarian cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.