

Manufacturer/Supplier:WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTDAddress: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi DistrictWuxi Jiangsu Province, ChinaTELE: 86-510-82732223FAX: 86-510-82720101-8014Web: www.dldevelop.com			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name: Catalog:	Rabbit anti-FADD (pS194) Antibody DL93902A		
Synonyms:	MORT1; FAS-associated death domain protein; FAS-associating death domain-containing protein; Growth-inhibiting gene 3 protein; Mediator of receptor induced toxicity; Protein FADD		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human FADD. The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
Size: 100 ul/50 ul	Host: Rabbit		
Reactivity:	Application: WB, IHC		

DEVELOP.

Human, Mouse, Monkey


Clonality: Polyclo	nal	Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)
Entrez Gene:	8772/14082	
SwissProt:	Q13158/Q61160	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Buffer:	1	Potassium phosphate, 0.87% e, pH 7.3, 30% glycerol, and 0.01%

WB description:

Western blot analysis of FADD (pS194) expression in Jurkat (A), mouse kidney (B), mouse brain (C) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of FADD (pS194) staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.