

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8			86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-MSK1 Antibody			
Catalog:	DL93936A			
Synonyms:	MSK1; Ribosomal protein S6 kinase alpha-5;			
	S6K-alpha-5; 9	0 kDa riboso	omal protein S6 kinase 5;	
	Nuclear mitoge	en- and stress	s-activated protein kinase	
	1; RSK-like pro	otein kinase;	RSKL	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	-		region of human MSK1.	
	The exact sequence is proprietary.			
		~		
Form: Liquid		Concentra	ation: 1mg/mL	
Sizes 100 m1/50 m1		Host: Rab	1.:+	
Size: 100 ul/50 ul		Host: Rad	olt	
Reactivity: Human, Mouse		Annlicati	Application: WB, IHC	
ixactivity. Hulla	u,1410430	тррисан		



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)


Entrez Gene:	9252/73086
SwissProt:	O75582/Q8C050
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of MSK1 expression in HEK293T (A), mouse brain (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of MSK1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.