

Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82	FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>		
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>		
Product name:	Rabbit anti-PEX19 Antibody	
Catalog:	DL94221A	
Synonyms:	HK33; PXF; Peroxisomal biogenesis factor 19; 33	
	kDa housekeeping protein; Peroxin-19; Peroxisomal	
	farnesylated protein	
-		
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
	sequence within the C-term region of human	
	PEX19. The exact sequence is proprietary.	
Form: Liquid	Concentration: 1mg/mL	
Form. Elquid	Concentration. Ting/inL	
Size: 100 ul/50 ul	Host: Rabbit	
Reactivity: Human	n Application: WB, IHC	



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)


Entrez Gene:	5824
SwissProt:	P40855
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of PEX19 expression in Jurkat (A), MCF7 (B), K562 (C) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of PEX19 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.