Manufacturer/Supplier:
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District Wuxi Jiangsu Province, China
TELE：86-510-82732223 FAX：86-510-82720101-8014
Web : www.dldevelop.com
Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-ZFP95 Antibody
Catalog: DL94328A

Synonyms: KIAA1015; ZFP95; Zinc finger protein with KRAB and SCAN domains 5; Zinc finger protein 95 homolog; Zfp-95

Immunogen: KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ZFP95. The exact sequence is proprietary.

Form: Liquid **Concentration:** 1mg/mL

Size: 100 ul/50 ul **Host:** Rabbit

Reactivity: Human,Mouse,Rat **Application:** WB, IHC, IF/IC

Clonality: Polyclonal

Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200), IF/IC (1/50 - 1/100)

Entrez Gene: 23660/22757

SwissProt: Q9Y2L8/Q9Z1D8

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of ZFP95 expression in HeLa (A), RAW264.7 (B), H9C2 (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of ZFP95 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of ZFP95 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:

Store at -20℃. Avoid repeated freeze / thaw cycles.