

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-801			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Rabbit anti-TSSK6 Antibody		
Catalog:	DL94360A		
Synonyms:	SSTK; Testis-specific serine/threonine-protein kinase 6; TSK-6; TSSK-6; Testis-specific kinase 6; Cancer/testis antigen 72; CT72; Serine/threonine-protein kinase SSTK; Small serine/threonine kinase		
Immunogen:	KLH-conjugated synthetic peptide encompassing a		
	sequence within the center region of human TSSK6.		
	The exact sequence is proprietary.		
T T ' ' 1			
Form: Liquid	Concentration: 1mg/mL		
Size: 100 ul/50 ul	Host: Rabbit		
Size: 100 ul/30 ul	Host. Rabbit		




Reactivity: Human, Mouse, Rat		Application: WB, IHC
Clonality: Polyclon	nal	Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200)
Entrez Gene:	83983/83984	
SwissProt:	Q9BXA6/Q925K9	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Buffer:	1	Potassium phosphate, 0.87% , pH 7.3, 30% glycerol, and 0.01%

WB description:

Western blot analysis of TSSK6 expression in HeLa (A), mouse testis (B), rat testis (C) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of TSSK6 staining in human colon cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.