

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-Beta-tubulin (AcK379) Antibody

Catalog: DL94373A

Synonyms: TUBB2A; TUBB2; Tubulin beta-2A chain;
TUBB2B; Tubulin beta-2B chain; TUBB3; TUBB4;
Tubulin beta-3 chain; Tubulin beta-4 chain; Tubulin
beta-III; TUBB4A; TUBB4; TUBB5; Tubulin
beta-4A chain; Tubulin 5 beta; Tubulin beta-4
chain; TUBB4B; TUBB2C; Tubulin bet

Immunogen: KLH-conjugated synthetic peptide encompassing a
sequence within the center region of human
Beta-tubulin. The exact sequence is proprietary.

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity:

Human, Mouse, Rat, Bovine, Chicken, Pig

Application: WB**Clonality:** Polyclonal**Dilution:** WB (1/500 - 1/2000)**Entrez Gene:**

22151; 73710; 22152; 22153/498736; 291081; 246118

SwissProt:

Q13885; Q9BVA1; Q13509; P04350; P68371; P07437; Q9BUF5; /Q7TMM9; Q9CWF2; Q9ERD7; Q9D6F9/P85108; Q3KRE8; Q4QRB4

Purification:


The antibody was purified by immunogen affinity chromatography.

Buffer:

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Beta-tubulin (AcK379) expression in HeLa (A), NIH3T3 (B), PC12 (C) whole cell lysates.



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.