

**Manufacturer/Supplier:**

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

**Address:** A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District  
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

**Web :** [www.dldevelop.com](http://www.dldevelop.com)

Email: [info@dldevelop.com.cn](mailto:info@dldevelop.com.cn)    [service@dldevelop.com.cn](mailto:service@dldevelop.com.cn)

**Product name:** Rabbit anti-Histone H3 (TriMethyl K37) Antibody

**Catalog:** DL94374A

**Synonyms:** HIST1H3A; H3FA; HIST1H3B; H3FL;  
HIST1H3C; H3FC; HIST1H3D; H3FB;  
HIST1H3E; H3FD; HIST1H3F; H3FI; HIST1H3G;  
H3FH; HIST1H3H; H3FK; HIST1H3I; H3FF;  
HIST1H3J; H3FJ; Histone H3.1; Histone H3/a;  
Histone H3/b; Histone H3/c; Histone H3/d; Histone  
H3/f; Histone H3/

**Immunogen:** KLH-conjugated synthetic peptide encompassing a  
sequence within the N-term region of human  
Histone H3. The exact sequence is proprietary.

**Form:** Liquid

**Concentration:** 1mg/mL

**Size:** 100 ul/50 ul

**Host:** Rabbit

**Reactivity:**

Human, Mouse, Rat, Bovine, Chicken, Pig, Zebrafish

**Application:** WB

**Clonality:** Polyclonal

**Dilution:** WB (1/500 - 1/2000)

**Entrez Gene:**


**SwissProt:** P68431; Q71DI3; P84243; Q6NXT2

**Purification:** The antibody was purified by immunogen affinity chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

**WB description:**

Western blot analysis of Histone H3 (TriMethyl K37) expression in HeLa (A), RAW264.7 (B), PC12 (C) whole cell lysates.

**Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.