

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-ATG4D Antibody

Catalog: DL94445A

Synonyms: APG4D; AUTL4; Cysteine protease ATG4D;

AUT-like 4 cysteine endopeptidase; Autophagin-4;

Autophagy-related cysteine endopeptidase 4; Autophagy-related protein 4 homolog D

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the center region of human ATG4D. The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IHC, IP



Clonality: Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/50 - 1/100), IP (1/10 -

1/100)

Entrez Gene: 84971/235040

Q86TL0/Q8BGV9 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of ATG4D expression in Hela (A), A549 (B), PC12 (C), CT26 (D) whole cell lysates.





IHC description:

Immunohistochemical analysis of ATG4D staining in human liver formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.